

D nom	D sede	Tol	Sp	L.	Ap
4	3.7	-0.2	0.5	0.8	0.9+0.5
5	4.7	-0.2	0.5	1.0	0.9+0.5
6	5.6	-0.2	0.7	1.1	0.9+0.5
7	6.5	-0.2	0.7	1.2	0.9+0.5
8	7.4	-0.2	1.0	1.3	0.9+0.5
9	9.4	-0.2	1.0	1.3	1.3+0.5
10	9.4	-0.3	1.0	1.3	1.3+0.5
11	10.2	-0.3	1.0	1.3	1.3+0.5
12	11.2	-0.3	1.0	1.3	1.3+0.5
13	12.2	-0.3	1.0	1.3	1.3+0.5
14	13.1	-0.3	1.2	1.5	1.3+0.5
15	14.0	-0.3	1.2	1.75	1.3+0.5
16	15.0	-0.3	1.2	1.75	2.5+1.0
17	16.0	-0.4	1.2	1.75	2.5+1.0
18	17.0	-0.4	1.2	1.75	2.5+1.0
19	17.9	-0.4	1.2	1.75	2.5+1.0
20	18.7	-0.4	1.2	1.75	2.5+1.0
21	19.7	-0.4	1.2	1.75	2.5+1.0
22	20.7	-0.4	1.2	1.75	2.5+1.0
24	22.5	-0.6	1.2	1.75	3.0+1.0
25	23.5	-0.6	1.2	1.75	3.0+1.0
26	24.5	-0.6	1.2	1.75	3.0+1.0
27	25.5	-0.6	1.5	2.3	3.0+1.0
28	26.5	-0.6	1.5	2.3	3.0+1.0
29	27.5	-0.6	1.5	2.3	3.0+1.0
30	28.5	-0.6	1.5	2.3	3.0+1.0
32	30.2	-1.0	1.5	2.3	3.0+1.0
35	33.2	-1.0	1.5	2.3	3.0+1.0
37	35.2	-1.0	1.5	2.3	3.0+1.0
38	36.2	-1.0	1.5	2.3	3.0+1.0
40	37.8	-1.0	1.5	2.3	3.0+1.0
42	39.8	-1.0	1.5	2.3	3.0+1.0
43	40.8	-1.0	1.5	2.3	3.0+1.0
45	42.8	-1.0	1.5	2.3	3.0+1.0
47	44.8	-1.0	1.5	2.3	3.0+1.0
48	45.8	-1.0	1.5	2.3	3.0+1.0
50	47.8	-1.0	1.5	2.3	3.0+1.0
52	49.8	-1.0	1.5	2.3	3.0+1.0
55	52.6	-1.0	1.5	2.3	3.0+1.0
58	55.6	-1.0	1.5	2.3	3.0+1.0
60	57.6	-1.0	1.5	2.3	3.0+1.0
63	60.6	-1.4	1.5	2.3	3.0+1.0
65	62.6	-1.4	1.5	2.3	3.0+1.0
68	65.4	-1.4	2.0	2.8	3.0+2.0
70	67.4	-1.4	2.0	2.8	3.0+2.0
72	69.4	-1.4	2.0	2.8	3.0+2.0
73	70.4	-1.4	2.0	2.8	3.0+2.0
75	72.4	-1.4	2.0	2.8	3.0+2.0
80	77.4	-1.4	2.0	2.8	3.0+2.0
85	82.0	-1.7	2.5	3.4	3.0+3.0
90	87.0	-1.7	2.5	3.4	3.0+3.0
95	92.0	-1.7	2.5	3.4	3.0+3.0
100	97.0	-1.7	2.5	3.4	3.0+3.0
105	101.7	-1.7	2.5	3.4	3.0+3.0
110	106.6	-1.7	2.5	3.4	3.0+3.0
115	111.6	-1.7	2.5	3.4	3.0+3.0
120	116.6	-1.7	2.5	3.4	3.0+3.0
125	121.4	-2.0	2.5	3.4	3.0+3.0
130	126.3	-2.0	2.5	3.4	3.0+3.0
135	131.0	-2.0	2.5	4.0	3.0+3.0
140	135.9	-2.0	2.5	4.0	3.0+3.0
145	140.9	-2.0	2.5	4.0	3.0+3.0
150	145.8	-2.0	2.5	4.0	3.0+3.0
155	150.8	-2.0	2.5	4.0	3.0+3.0
160	155.7	-2.0	2.5	4.0	3.0+3.0
165	160.7	-2.0	2.5	4.0	3.0+3.0
170	165.6	-2.0	2.5	4.0	3.0+3.0
175	170.6	-2.0	2.5	4.0	3.0+3.0
180	175.2	-2.0	3.0	5.0	3.0+4.0
185	180.1	-2.5	3.0	5.0	3.0+4.0
190	185.1	-2.5	3.0	5.0	3.0+4.0
195	190.1	-2.5	3.0	5.0	3.0+4.0
200	195.0	-2.5	3.0	5.0	3.0+4.0
210	204.9	-2.5	3.0	5.0	3.0+4.0
220	214.8	-2.5	3.0	5.0	3.0+4.0
230	224.7	-2.5	3.0	5.0	3.0+4.0
240	234.6	-2.5	3.0	5.0	3.0+4.0
250	244.6	-3.0	3.0	5.0	3.0+4.0
260	252.4	-3.0	4.0	7.5	3.0+10.0
265	257.4	-3.0	4.0	7.5	3.0+10.0
270	262.3	-3.0	4.0	7.5	3.0+10.0
280	272.2	-3.0	4.0	7.5	3.0+10.0
285	277.2	-3.0	4.0	7.5	3.0+10.0
290	282.1	-3.0	4.0	7.5	3.0+10.0
300	292.1	-3.0	4.0	7.5	3.0+10.0
305	297.1	-3.0	4.0	7.5	3.0+10.0
310	302.0	-3.0	4.0	7.5	3.0+10.0
320	311.9	-3.0	4.0	7.5	3.0+10.0
330	321.7	-3.0	4.0	7.5	3.0+10.0
340	331.6	-3.0	4.0	7.5	3.0+10.0
350	341.5	-3.0	4.0	7.5	3.0+10.0
360	351.4	-3.0	4.0	7.5	3.0+10.0
370	361.4	-3.0	4.0	7.5	3.0+10.0
380	371.2	-3.0	4.0	7.5	3.0+10.0
390	381.2	-3.0	4.0	7.5	3.0+10.0
400	391.2	-3.0	4.0	7.5	3.0+10.0
D nom	D sede	Tol	Sp	L.	Ap